




REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	Example G15	03/06/2014	-




Pull side view
Double Door



Section A-A



Pull side view
Single Door



Section C-C

Section B-B

NOTES

G15 doorset.
Shown with standard lock
& Handles

AC15 is same as G15 with
extra sound proofing
& seals.

G20 is same as G15 but
with 2mm steel

RX15 is same as G15 but
with 1.5mm Rimex Steel.

TITLE

G15/G20/RX15/AC15 doorset.

MATERIAL

G15 1.5mm Material
G20 2.0mm Material
RX15 1.5mm Material
AC15 1.5mm Material
Wood effect steel is
available for G15 & AC15

DWG NO.

Doorset Examples
\\G15-G20-RX15-AC15.DWG

DRAWN BY

JR

DATE

03/06/2014

REV

A

SCALE

N.T.S

SHEET

1 OF 3




DoorTechnik
SECURE DOOR SYSTEMS

Moor Lane, Thorpe on the Hill, Lincoln, LN6 9BW
Tel 01522 693522 Fax 01522 508494
www.doortechnik.co.uk info@doortechnik.co.uk


Disclaimer:

Drawing is indicative of
standard model range, and
features may differ for
production doorsets. If
particular performance
criteria or features are
important to your project,
please call us to discuss
your requirements.


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	Example G15	03/06/2014	-




Hinge Jamb



T3 Frame



Lock Jamb



Optional transom panel

Standard Galv or Stainless Steel threshold

NOTES
Frame shown is standard 95mm, frame depth can be changed to suit.

TITLE
G15/G20/RX15/AC15 doorset.

MATERIAL
G15 1.5mm Material
G20 2.0mm Material
RX15 1.5mm Material
AC15 1.5mm Material
Wood effect steel is available for G15 & AC15

DWG NO.
Doorset Examples
G15-G20-RX15-AC15.DWG


DRAWN BY	DATE	REV
JR	03/06/2014	A

SCALE	SHEET
N.T.S	2 OF 3


DoorTechnik
SECURE DOOR SYSTEMS

Moor Lane, Thorpe on the Hill, Lincoln, LN6 9BW
Tel 01522 693522 Fax 01522 508494
www.doortechnik.co.uk info@doortechnik.co.uk


Disclaimer:
Drawing is indicative of standard model range, and features may differ for production doorsets. If particular performance criteria or features are important to your project, please call us to discuss your requirements.




Tamper-resistant rebate frame single door




Rebate frame with continuous hinge




Reverse head threshold
Various heights
25mm standard




Plain meeting stiles,
brush profile 55mm door




Opening in with weatherboard



Flush Bolt into Head and Threshold fixed leaf



Vision panel with 6mm glazing,
Various sizes available



Optional rain canopy

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	Example G15	03/06/2014	-

NOTES

Various options available

TITLE

G15/G20/RX15/AC15 doorset.

MATERIAL

G15 1.5mm Material
G20 2.0mm Material
RX15 1.5mm Material
AC15 1.5mm Material
Wood effect steel is available for G15 & AC15

DWG NO.

Doorset Examples
\\G15-G20-RX15-AC15.DWG

DRAWN BY	DATE	REV
JR	03/06/2014	A

SCALE	SHEET
N.T.S	3 OF 3



Moor Lane, Thorpe on the Hill, Lincoln, LN6 9BW
Tel 01522 693522 Fax 01522 508494
www.doortech.co.uk info@doortech.co.uk

Disclaimer:

Drawing is indicative of standard model range, and features may differ for production doorsets. If particular performance criteria or features are important to your project, please call us to discuss your requirements.